




# EDITORIAL

As leaders in design and production of table tennis equipment, delivering excellence is our daily objective. Building on our savoir-faire we keep pushing back the boundaries in the pong universe. The way we developed the 850 Wood table is a perfect illustration of this way of thinking: wood is back into competition and it now goes along with an exclusive grey table top. Table tennis as a recreational sport is not to be outdone with the launching, in September 2015, of a premium outdoor table with a radical design: the 700 M Crossover. Finally, our constant concern for coherence and highest requirements led us to rethink our logo. It is now clearer and uncluttered.



MICHEL ZANY - CEO



## A WELL MASTERED SAVOIR-FAIRE



Cornilleau is growing its business over the world market thanks to its top quality and always innovative products. The introduction of the "laminated" table top made it possible to play pong outdoors and the Compact Technology and DSI patented concepts have brought the "ergonomics, safety, design" triangle to an unprecedented level. All the Cornilleau tables are designed, developed, and manufactured in France, in the very heart of the company, in Bonneuil-les-Eaux, in Oise (Picardy), home village of the Cornilleau family. The research and development laboratory is there, within the factory itself - a "Made in France" brainpower designed to think, devise and manufacture today's and tomorrow's products.


EXTREM  
PERFORMANCE  
OUTDOOR

THE ONLY LIMITS SHOULD BE  
THE LIMITS YOU SET YOURSELF

**700M**  
CROSSOVER




OVERSIZE DOUBLE  
WHEELS



RESIN LAMINATE  
**9 mm**

OVERSPEED  
SURFACE



OVERPROTECTED  
STRUCTURE

An athletic look, high-performance and solid materials, exclusive features... There is no need to say that the design and equipment level of this brand new 700M Crossover allow no compromise. It will firmly and distinctively fit your home and will provide you with a unique playing experience. You will also be stunned to see how, thanks to its innovative and astonishing big twin wheels, the table can be easily moved and obstacles safely cleared. Attention to detail and an impressive and distinct design tend to confer the 700M Crossover a nonstandard personality that will immediately take you into a new dimension.



**OUTDOOR PERFORMANCE**



**700M**  
CROSSOVER

**9 mm**  
60 mm  
MAT TOP DSI COMPACT TECHNOLOGY  
OUTDOOR RESIN LAMINATE



- PLAYING QUALITY
- TABLETOP DURABILITY
- SAFETY
- STABILITY - ROBUSTNESS
- EQUIPMENT - ERGONOMICS MOBILITY

HOME & PRIVATE USE    HOSPITALITY    CORPORATE & SPECIAL EVENTS

+++    +++    +++

USES



**OVERSIZE DOUBLE WHEELS**


- Their 200mm diameter and their robust design offer a unique obstacle-clearing capacity (edges, terraces, etc...)
- The greater number of wheels, the greater the load capacity. Therefore, the use of large twin wheels with flattened bi-material tires significantly increases the mobility of the table, especially on uneven grounds.
- The bracket links the two wheels at the very spot where mechanical force is mainly exerted. Our engineers thus paid special care to the design of this part so as to get an incredible maneuverability in all circumstances.

**Ø200 mm**  
L 38mm



**OVERPROTECTED STRUCTURE**

The aluminum/zinc/steel alloy frame has been designed to support the table top and ensure a perfect planarity. This extremely resistant structure is here covered with an elegant UV-resistant "graphite" finish.



**OVERSPEED SURFACE**

The ITTF (International Federation of Table Tennis) has defined a perfect standard bounce height ensuring an optimal game speed. Accordingly, we decided to supply the 700M Crossover with a special 9mm laminate HPL top to provide the same bounce quality as the one got from a top-competition table. In addition to this unequalled level of performance for an outdoor table, OVERSPEED surface is shock and weather resistant. Finally, MAT TOP finish reduces sunlight reflection by a factor of 10.

**9 mm**  
RESIN LAMINATE  
= **22 mm**  
COMPETITION CHIPBOARD

*THE NOBILITY  
AND REFINEMENT  
OF WOOD*

**850  
WOOD**

*PERFORMANCE  
AND ELEGANCE*

8



The 850 Wood is a genuine tribute to this noble material, which, above any esthetic value, provides the table with unequaled sound and playing qualities. Contemporary by definition, this table rewrites the codes with its grey indoor top and its retractable net posts. These two ITTF approved innovations are completely new in the world of competition. The 850 Wood, which naturally combines performance with elegance will become a standard for greatest international competitions as well as a perfect match for your interior design.


9



**WORLD EXCLUSIVE**  
ITTF APPROVED GREY PANEL

**COMPETITION**

10



- ██████████ PLAYING QUALITY
- ██████████ TABLETOP DURABILITY
- ██████████ SAFETY
- ██████████ STABILITY - ROBUSTNESS
- ██████████ EQUIPMENT - ERGONOMICS
- ██████████ MOBILITY



**NEW**

Net posts automatically retract when folding the 850 Wood. This allows you to gain 30cm width, something really appreciable when looking for a way to limit the bulk of a folded table. This innovation will also be available on 740/640/540 ITTF competition tables from September 2015.

HOME  
6 PRIVATE  
USE

CLUBS  
TOURNAMENTS

+

+++

USES

**850  
WOOD**

25 mm  
70 mm  
INDOOR  
CHIPBOARD

SKIL TOP P-BALL READY DSI ITTFW



11

*REQUIREMENTS  
AND BOLDNESS*

**NEW "P-BALL READY" GREY SKILTOP**

- Grey table top = for a better contrast with the ball.
- Spin-sensitive finish specifically designed for plastic balls.
- Non-reflecting, mat, water-based and environment-friendly paint.

**SOLID WOOD LEGS AND FRAME**

- Better channeling of vibrations = unmatched sound.

**UNIQUE OPERATIONAL CONVENIENCE**

- Retractable permanent posts (can also stay in position) = you gain 30cm in width when folded.
- Angled frame (on players' sides) = more comfort especially during short play.



Made in France

**cornilleau** | **FFTT**  
OFFICIAL SUPPLIER  
TO THE FRENCH FEDERATION EVENTS

STRIVING FOR EXCELLENCE

COMPETITION

# TARGET PRO GT



Celluloid balls have now been replaced with plastic balls. Michelin experts have managed to develop a rubber formulation completely compatible with this new type of balls. So if, like Simon Gauzy and Hugo Calderano, you are looking for heavy spin initial strokes, an optimum accuracy when counter-looping, sharp kills, always more power when rallying loop to loop, but also a great security margin when taking the counter-initiative... then, you have no time to lose: opt for the P-BALL READY technology!

12



**Jean-Philippe GATIEN**  
WORLD CHAMPION  
& DOUBLE OLYMPIC MEDALLIST.  
CORNILLEAU TEAM MANAGER

Philou plays with TARGET PRO GT-M43

**HUGO CALDERANO**

2014 LATIN AMERICAN CHAMPION  
Hugo plays with TARGET PRO GT-H47



2013 ITTF WORLD TOUR  
Grand Final Winner (U21)

Simon plays with TARGET PRO GT-X51



NEW



## TARGET PRO GT-X51 OFF +

2,0/MAX - RED/BLACK

Target Pro GT-X51 is a powerful, sharp and highly accurate rubber intended for extremely demanding competitors.



NEW



## TARGET PRO GT-M43 OFF +

2,0/MAX - RED/BLACK

Target Pro GT-M43 is a fast, comfortable and outstandingly tolerant rubber that achieves formidable efficiency



NEW



## TARGET PRO GT-S39 OFF +

2,0/MAX - RED/BLACK

Target Pro GT-S39 is a soft, dynamic but also very loud sounding rubber that will lavish players expecting rubbers to be music to the ears.




## TARGET PRO GT-H47 OFF+

2,0/MAX - RED/BLACK

Softer than X51, Target Pro GT-H47 impresses with efficiency and reliability.

13




**OUTDOOR PERFORMANCE**



**nexeo**

Building on their expertise, Cornilleau engineers have developed a patented "quadri-sustainable materials" technology. This outdoor racket is characterized by its great playing performance.



*BOOST YOUR GAME*



14



**CARBON FIBER®**  
carbon fiber used in the Nexeo X90 blade increases propulsion for an even greater speed.

**SPEED**  
Its very dynamic sponge provides a very high playing speed.

**PRECISION AND SPIN**  
Its innovative covering ensures a perfect spin restitution.

**SOLIDITY AND DURABILITY**  
The Nexeo has been made out of a very resistant composite material and is shock and weather resistant.

**COMFORT**  
The ergonomic shape of the Nexeo's elastomer handle ensures optimal grip.



**NEXEO X90**

New generation composite racket with carbon.

**NEW** packaging + blue colour



**NEXEO X70**

New generation composite racket.

**NEW** packaging

*A CONFIDENT CHOICE*



15

Each step in the manufacturing process is submitted to an exhaustive quality check of components and we also pay extreme attention to assembly precision. Your total satisfaction is our first priority.

CÉDRIC D. - PRODUCTION TEAM LEADER



Cornilleau tables are guaranteed against any manufacturing flaw for 3 years. This warranty is extended to 10 years for outdoor tabletops. A 10 year warranty also applies to all the components of the Park and 700M Crossover tables except for the 700M Crossover wearing parts (wheels, net and posts). All our tables comply with the EN 14468 European safety standard. Still, Cornilleau is standing well above this standard so as to offer an upmost level of safety.





## LEISURE TABLES



	ONE	200	250	250	250
<b>Models</b>	<b>OUTDOOR</b>	<b>INDOOR</b>	<b>S OUTDOOR</b>	<b>S OUTDOOR</b>	<b>INDOOR</b>
<b>Colors of tops</b>	131 005 ■	131 000 ■	132 555 ■	132 607 ■ 132 605 ■	132 600 ■
<b>Playing surface</b>	Resin laminate 4 mm	Chipboard 19 mm	Resin laminate 5 mm	Resin laminate 5 mm	Chipboard 19 mm
<b>Coating</b>	-	-	SOFTMAT	SOFTMAT	-
<b>Frame</b>	40 mm	30 mm	40 mm	40 mm	30 mm
<b>Locking System</b>	Push'n Lock (8 points)	Push'n Lock (8 points)	Push'n Lock (8 points)	DSI (16 points)	DSI (16 points)
<b>Compact Technology</b>	Yes	Yes	Yes	Yes	Yes
<b>Leg type / dimensions</b>	straight - ø 25 mm	straight - ø 25 mm	straight with 3/4 resin - 115 x 28 mm	straight with 3/4 resin - 115 x 28 mm	straight with 3/4 resin - 115 x 28 mm
<b>Adjustable leg pad</b>	Ø 50 mm	Ø 50 mm	Ø 70 mm	Ø 70 mm	Ø 70 mm
<b>Net type</b>	Fixed	Fixed	Fixed	Retractable	Retractable
<b>Adjustable net</b>	Tension	Tension	Tension	Tension - Height	Tension - Height
<b>Wheel type</b>	Double notched tread wheels	Double notched tread wheels	SPECIAL OUTDOOR double wheels	SPECIAL OUTDOOR double wheels	SPECIAL INDOOR double wheels
<b>Wheels (thickness x diameter)</b>	20 x 150 mm	20 x 150 mm	35 x 150 mm	35 x 150 mm	30 x 150 mm
<b>Brakes</b>	-	-	-	2 brakes	2 brakes
<b>Ball storage</b>	-	-	-	Yes	Yes
<b>Bat storage</b>	for 2 bats	for 2 bats	for 2 bats	for 2 bats	for 2 bats
<b>Bat protection</b>	-	-	-	-	-
<b>Corner protection pads</b>	-	-	-	-	-
<b>Additional features</b>	-	-	-	-	-
<b>Category (European Standards)</b>	EN 14468 - CATEGORY D	EN 14468 - CATEGORY C	EN 14468 - CATEGORY C	EN 14468 - CATEGORY C	EN 14468 - CATEGORY C
<b>Approval</b>	FFTT LEISURE	FFTT LEISURE (HIGH QUALITY)	FFTT LEISURE (HIGH QUALITY)	FFTT LEISURE (HIGH QUALITY)	FFTT LEISURE (HIGH QUALITY)
<b>Table weight</b>	45 kg	68 kg	51 kg	58 kg	74 kg
<b>Packaged weight</b>	54 kg	79 kg	64 kg	68 kg	84 kg
<b>Guarantee</b>					
<b>USES</b>					
HOME & PRIVATE USE	++	+	++	++	+
CLUBS & TOURNAMENTS					+
SCHOOLS				++	++
PUBLIC PARKS					
HOSPITALITY					
CORPORATE & SPECIAL EVENTS					



	300	400	500	500	700 Crossover
<b>Models</b>	<b>S OUTDOOR</b>	<b>M OUTDOOR</b>	<b>M OUTDOOR</b>	<b>INDOOR</b>	<b>M OUTDOOR</b>
<b>Colors of tops</b>	133 607 ■ 133 605 ■ 133 606 ■	134 907 ■ 134 905 ■	135 907 ■ 135 905 ■	135 900 ■	157607 ■
<b>Playing surface</b>	Resin laminate 5 mm	Resin laminate 6 mm	Resin laminate 7 mm	Chipboard 22 mm	Resin laminate 9 mm <b>Overspeed Surface</b>
<b>Coating</b>	SOFTMAT	MATTOP	MATTOP	-	MATTOP
<b>Frame</b>	50 mm	50 mm	60 mm	50 mm	60 mm <b>Overprotected Structure</b>
<b>Locking System</b>	DSI (16 points)	DSI (16 points)	DSI (16 points)	DSI (16 points)	DSI (16 points)
<b>Compact Technology</b>	Yes	Yes	Yes	Yes	Yes
<b>Leg type / dimensions</b>	Arched - 100 x 60 mm	Arched - 100 x 60 mm	Arched - 120 x 60 mm	Arched - 120 x 60 mm	Arched - 120 x 60 mm
<b>Adjustable leg pad</b>	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm
<b>Net type</b>	Retractable	Retractable	Retractable	Retractable	Retractable
<b>Adjustable net</b>	Tension - Height	Tension - Height	Tension - Height	Tension - Height	Tension - Height
<b>Wheel type</b>	SPECIAL OUTDOOR double wheels	SPECIAL OUTDOOR double wheels	SPECIAL OUTDOOR double wheels	SPECIAL INDOOR double wheels	SPECIAL OUTDOOR Double wheels <b>OverSize</b>
<b>Wheels (thickness x diameter)</b>	35 x 150 mm	35 x 150 mm	35 x 150 mm	30 x 150 mm	38 x 200 mm
<b>Brakes</b>	2 brakes	2 brakes	2 brakes	2 brakes	4 brakes
<b>Ball storage</b>	Yes	Yes	Yes	Yes	Yes
<b>Bat storage</b>	for 4 bats	for 4 bats	for 4 bats	for 4 bats	for 4 bats
<b>Bat protection</b>	-	Yes	Yes	Yes	-
<b>Corner protection pads</b>	-	Yes	Yes	Yes	Yes
<b>Additional features</b>	-	-	2x Balls dispensers + 1x Crossing Handle	2x Balls dispensers + 1x Crossing Handle	2x Balls dispensers + 2x Crossing Handles
<b>Category (European Standards)</b>	EN 14468 - CATEGORY C	EN 14468 - CATEGORY C	EN 14468 - CATEGORY C	EN 14468 - CATEGORY C	EN 14468 - CATEGORY C
<b>Approval</b>	FFTT LEISURE (HIGH QUALITY)	FFTT LEISURE (HIGH QUALITY)	FFTT LEISURE (HIGH QUALITY)	FFTT COMPETITION	FFTT LEISURE (HIGH QUALITY)
<b>Table weight</b>	61 kg	68 kg	78 kg	94 kg	98 kg
<b>Packaged weight</b>	74 kg	80 kg	91 kg	108 kg	111 kg
<b>Guarantee</b>					
<b>USES</b>					
HOME & PRIVATE USE	+++	+++	+++	+	+++
CLUBS & TOURNAMENTS				++	
SCHOOLS				+++	
PUBLIC PARKS					
HOSPITALITY	+	+	++		+++
CORPORATE & SPECIAL EVENTS			++		+++

16

17

## COMPETITION TABLES



	COMPETITION 540 ITTF	COMPETITION 610 ITTF	COMPETITION 640 ITTF	COMPETITION 740 ITTF	COMPETITION 850 WOOD ITTF
Colors of tops	115 600 ■	116 610 ■	116 600 ■	117 600 ■ 117 601 ■	118 602 ■ 118 600 ■
Playing surface	Chipboard 22 mm	Chipboard 22 mm	Chipboard 22 mm	Chipboard 25 mm	Chipboard 25 mm
Coating	SKILTOP	SKILTOP	SKILTOP	SKILTOP	SKILTOP P-BALL READY
Frame	Steel 50 mm	Steel 50 mm	Steel 50 mm	Steel 70 mm	Wood 70 mm
Locking System	DSI (16 points)	Static	DSI (16 points)	DSI (16 points)	DSI (16 points)
Compact Technology	yes	-	yes	yes	yes
Leg type / dimensions	Adjustable - Steel 60 x 40 mm	Steel 80 x 40 mm	Steel 80 x 40 mm	Steel 120 x 60 mm	Wood 120 x 60 mm
Adjustable leg pad	Ø 70 mm	-	Ø 90 mm	Ø 135 mm	Ø 140 mm
Net type	Permanent and retractable	Screw fixing	Permanent and retractable	Permanent and retractable	Permanent and retractable
Adjustable net	Tension - Height	Tension - Height	Tension - Height	Tension - Height	Tension - Height
Wheel type	SPECIAL INDOOR double wheels + 4 brakes	-	SPECIAL INDOOR ball bearings wheels + 2 brakes	SPECIAL INDOOR ball bearings wheels + 4 brakes	SPECIAL INDOOR ball bearings wheels + 4 brakes
Wheels (thickness x diameter)	30 x 150 mm	-	35 x 125 mm	35 x 125 mm	35 x 125 mm
Brakes	Yes	-	Yes	Yes	Yes
Corner protection pads	-	-	-	-	-
Category (European Standards)	EN 14468 - CATEGORY A	EN 14468 - CATEGORY A	EN 14468 - CATEGORY A	EN 14468 - CATEGORY A	EN 14468 - CATEGORY A
Approval	ITTF High Competition	ITTF High Competition	ITTF High Competition	ITTF High Competition	ITTF High Competition
Table weight	97 kg	94 kg	114 kg	119 kg	122 kg
Packaged weight	111 kg	108 kg	131 kg	136 kg	140 kg
Guarantee					

### USES

	COMPETITION 540 ITTF	COMPETITION 610 ITTF	COMPETITION 640 ITTF	COMPETITION 740 ITTF	COMPETITION 850 WOOD ITTF
HOME & PRIVATE USE					+
CLUBS & TOURNAMENTS	+++	+++	+++	+++	+++
SCHOOLS	++				
PUBLIC PARKS					
HOSPITALITY					
CORPORATE & SPECIAL EVENTS					

## INSTITUTIONAL TABLES



	PRO 510	PRO 540	PARK
Models	125 117 ■ 125 115 ■	125 417 ■	127 137 ■
Colors of tops	Resine laminate 7 mm	Resine laminate 7 mm	Resine laminate 9 mm
Playing surface	MATTOP	MATTOP	MATTOP
Coating	60 mm	60 mm	80 mm
Frame	Static	DSI (16 points)	Static
Locking System	-	yes	-
Leg type / dimensions	Steel bends Ground fastening system	Y shape steel with resin 90 x 45 mm	Hot-dip galvanization steel 90 mm
Adjustable leg pad	-	-	-
Net type	Steel Fixed (Kit with Advance net available)	Steel Fixed (Kit with Advance net available)	Steel Fixed (Kit with Advance net available)
Adjustable net	Tension - Height (with Advance net Kit)	-	Tension - Height (with Advance net Kit)
Wheel type	-	SPECIAL OUTDOOR double wheels	-
Wheels (thickness x diameter)	-	35 x 150 mm	-
Brakes	-	yes	-
Corner protection pads	yes	yes	yes
Category (European Standards)	EN 14468 - CATEGORY B	EN 14468 - CATEGORY B	EN 14468 - CATEGORY B
Approval	FFTT LEISURE	FFTT LEISURE	FFTT LEISURE (HIGH QUALITY) & SCHOOLS
Table weight	77 kg	84 kg	162 kg (362 kg with ballast kit)
Packaged weight	97 kg	97 kg	282 kg (without any fastening kit)
Guarantee			

### USES

	PRO 510	PRO 540	PARK
HOME & PRIVATE USE			
CLUBS & TOURNAMENTS			
SCHOOLS	+	+	+
PUBLIC PARKS	++		+++
PUBLIC PARKS	+++	++	+++
CORPORATE & SPECIAL EVENTS	+++		+++



## LEISURE BATS

20

	NAME OF PRODUCTS	REF	DETAILS	RUBBER	CONCEPT	SPEED	SPIN	CONTROL	COLOR OF SPONGE	THICKNESS OF SPONGE (MM)	PLYWOOD
COMPOSITE	TACTEO 30	453 400	1 bat	Polymer	SKIN+	5	5+	8+			
	TACTEO 50	455 405 455 407 455 408	1 bat	Polymer	SKIN+	7	7+	7+			
	PACK DUO TACTEO	455 450	2 bats + 3 balls	Polymer	SKIN+	7	7+	7+			
	NEXEO X70 <b>NEW</b> packaging	457 600	1 bat	Foamed Polymer		8,5	8,5	8			
	NEXEO X90 <b>NEW</b> packaging + color	459 600	1 bat	Foamed Polymer	Carbon Fiber	9	8,5	7,5			
WOODEN	SPORT 100	441 300	1 bat	ITTF 1 star		3	3	10	white	1,2	5
	PACK DUO	432 350	2 bats + 3 balls	ITTF 1 star		4	4	9	white	1,5	5
	SPORT 200	432 300	1 bat	ITTF 1 star		5	4	9	white	1,5	5
	PACK SOLO	432 351	1 bat + bat cover	ITTF 2 stars		5	5	9	white	1,8	5
	SPORT 300	433 300	1 bat	ITTF 2 stars		6	5	9	white	1,8	5
	SPORT 400	434 300	1 bat	ITTF 3 stars		7	6	8	white	1,8	5
	PERFORM 500	425 500	1 bat	ITTF 3 stars	Aero	7	7	8	white	1,8	5
	PERFORM 600	426 500	1 bat	ITTF 4 stars	Aero, OFC	7,5	7	7,5	white	1,8	5
	PERFORM 800	428 500	1 bat	ITTF 5 stars	Aero, Dynacell ,OFC	8	8	7	orange	2,0	5
	EXCELL 1000	411 500	1 bat	ITTF Performa 1	Aero, Dynacell, OFC, Efficient Curve	8.5	8.5	6,5	orange	2,0	5
	EXCELL 2000 Carbon	412 500	1 bat	ITTF Performa 2	Aero Soft, Dynacell, OFC, Efficient Curve	9	9	6	white	2,0	5
	EXCELL 3000 Carbon	413 500	1 bat	ITTF Performa 2	Aero Soft , Dynacell, OFC, Efficient Curve	10	10	5	white	2,0	5

## PLAYING STRATEGIES

### DEF

**DEFINITION:** «Traditional» defense, far from the table, generally involving chops (with both forehand and backhand).

**MATERIAL:** Very often a «long pimple-out» rubber (with or without sponge) on backhand, combined with an «inverted» rubber on forehand. The player can turn his bat.

**ADVICES:** ALL to OFF- «inverted» rubber, with a sponge hardness < or = 40°. Thickness of the sponge (for «inverted» rubber): less than or equal to 1.8mm. DEF to ALL+ blade.

### DEF+

**DEFINITION:** «Modern» defense, namely a DEF game with frequent counter-attacks generally incorporating smash or topspin shots.

**MATERIAL:** «long pimple-out» rubber (with sponge) on backhand, combined with an «inverted» rubber on forehand. The player often turns his bat.

**ADVICES:** ALL+ to OFF+ «inverted» rubber, with a sponge hardness < or = 42.5°. Thickness of the sponge (for «inverted» rubber): from 1.6 to 1.8mm (or even 2.0mm, according to the level of the player). ALL to OFF- blade.

### ALL-

**DEFINITION:** A passive game based on small pushes and blocks alternating with mid-distance defensive shots. Offensive shots are pretty rare.

**MATERIAL:** «pimple-out» rubber (short, mid-long or long) or «antispin» on backhand, combined with an «inverted» rubber on forehand. The player barely turns his bat.

**ADVICES:** ALL to OFF «inverted» rubber, with a sponge hardness < or = 40°. Thickness of the sponge (for «inverted» rubber): from 1.6 to 1.8mm. ALL to ALL+ blade.

### ALL

**DEFINITION:** varied game, more geared around a mid-distance from the table and favoring ball control, placement and variations in spin. The aim is to cause your opponent to commit an error.

**MATERIAL:** Two «inverted» rubbers.

**ADVICES:** ALL+ to OFF rubber with a sponge hardness < or = 40°. Thickness of the sponge from 1.8 to 2.0mm. ALL to OFF- blade.

### ALL+

**DEFINITION:** varied and precise game with blocks and counter-initiatives, closer to the table than the ALL- and ALL games. The placement, variations in spin and rhythm are used in order to secure easy-scoring balls.

**MATERIAL:** Two «inverted» rubbers.

**ADVICES:** ALL+ OFF covering rubbers (OFF+ drive according to level), with a sponge hardness < or = 40°. Thickness of the sponge from 1.8 to 2.0mm. ALL to OFF blade

### OFF-

**DEFINITION:** Offensive play with variations in rhythm and spin, most often slightly mid-distance from the table. Basically topspin is widely used here, principally with late contact on the ball and some fairly high, curved trajectories.

**MATERIAL:** Two «inverted» rubbers.

**ADVICES:** OFF/OFF+ rubbers, with a sponge hardness < or = 42.5° on both sides. Thickness of the sponge from 1.8 to 2.0mm. ALL+ to OFF+ blade.

### OFF

**DEFINITION:** Complete offensive play, combining fast strokes close to the table and variations in rotation at mid-distance from the table. The topspins are varied and often powerful, accentuated blocks and the player especially mobile.

**MATERIAL:** Two «inverted» rubbers.

**ADVICES:** OFF+ rubber with a sponge hardness > 40° on forehand and < or = 42.5° on backhand. Thickness of the sponge from 2.0mm to max. OFF- to OFF+ blade.



### OFF+

**DEFINITION:** Very offensive style where taking the initiative is the absolute priority. The player moves about close to the table, returning the ball very early using topspin smashes, loops or active blocks. The player may also move away to a mid-distance from the table with wide-ranging and powerful topspins.

**MATERIAL:** Two «inverted» rubbers. Possible use of short «pimple-out» rubber on one of the two sides (common in Asia). The ball is then «punched» back on the bounce!

**ADVICES:** OFF+ rubbers with a sponge hardness > 40° on both sides. Thickness of the sponge from 2.0mm to max. OFF to OFF+ blade.





CORNILLEAU BLADES	Made in	Strategy	Speed	Feeling	Weight	Paddle			Handle	Playing strategies								
						Plywood	External Plies	Thickness (mm)		Shapes	DEF	DEF+	ALL-	ALL	ALL+	OFF-	OFF	OFF+
<b>GATIEN PURE OFF+ Carbon</b>	Sweden	OFF+	155	Medium-Hard	85g	13+2	Limba	6,4	FL / AN / ST / CP							X	X	X
<b>GATIEN VISION OFF+ Soft Carbon</b>	Sweden	OFF+	145	Medium-Hard	85g	5+2	Tiba	5,8	FL / AN / ST / CP							X	X	X
<b>GATIEN ABSOLUTUM OFF+</b>	Sweden	OFF+	152	Hard	95g	7	Ebony	6,1	FL / AN / ST / CP									X
<b>GATIEN GLORY OFF</b>	Sweden	OFF	132	Medium-Hard	85g	5	Rosewood	6	FL / AN / ST / CP									X
<b>GATIEN CONQUEST OFF</b>	Sweden	OFF	130	Medium-Hard	85g	9	Wenge	6	FL / AN / ST / CP									X
<b>GATIEN ORIGIN OFF-</b>	Sweden	OFF-	112	Medium	90g	7	Walnut	5,7	FL / AN / ST / CP						X	X	X	X
<b>GATIEN CROWN ALL+</b>	Sweden	ALL+	102	Medium	90g	5	Anegre	5,7	FL / AN / ST / CP	X	X	X	X	X	X	X	X	
<b>HINOTEC OFF+ Carbon</b>	China	OFF+	150	Hard	85g	3+2	Hinoki	6,2	FL / AN / ST / CP									X
<b>HINOTEC OFF</b>	China	OFF	120	Medium-Hard	85g	5	Hinoki	6	FL / AN / ST / CP									X
<b>HINOTEC OFF-</b>	China	OFF-	110	Medium	85g	5	Hinoki	6	FL / AN / ST / CP						X	X	X	
<b>HINOTEC ALL+</b>	China	ALL+	100	Medium	85g	5	Hinoki	5,6	FL / AN / ST / CP	X	X	X	X	X				
<b>AERO OFF+ Soft Carbon</b>	China	OFF+	140	Medium-Hard	75g	3+2	Fineline	6,2	FL / CP						X	X	X	X
<b>AERO OFF</b>	China	OFF	115	Medium	75g	5	Fineline	6,6	FL / CP					X	X	X	X	
<b>AERO OFF-</b>	China	OFF-	105	Medium	75g	5	Fineline	6,2	FL / CP				X	X	X	X	X	
<b>AERO ALL+</b>	China	ALL+	95	Medium-Soft	75g	5	Fineline	5,8	FL / CP	X	X	X	X	X	X	X	X	
<b>AERO ALL</b>	China	ALL	90	Soft	70g	5	Fineline	5,4	FL / CP	X	X	X	X	X	X	X	X	

CORNILLEAU RUBBERS	Made in	Type	Strategy	Speed	Spin	«Loop» Trajectory	Sponge				Top-sheet		Playing strategies							
							Concept	Thickness	Hardness	Color	Concept 1	Concept 2	DEF	DEF+	ALL-	ALL	ALL+	OFF-	OFF	OFF+
<b>TARGET PRO GT-X51</b>	Germany	Pimple-in	OFF+	160	170	High	Nextens GT	2,0/max	51	Cream	Spin-Drive 3D	Grip Extend +							2,0	max
<b>TARGET PRO GT-H47</b>	Germany	Pimple-in	OFF+	155	170	High	Nextens GT	2,0/max	47	Orange	Spin-Drive 3D	Grip Extend +							2,0	max
<b>TARGET PRO GT-M43</b>	Germany	Pimple-in	OFF+	150	170	High	Nextens GT	2,0/max	43	Yellow	Spin-Drive 3D	Grip Extend +							2,0	max
<b>TARGET PRO GT-S39</b>	Germany	Pimple-in	OFF+	145	170	High	Nextens GT	2,0/max	39	Cream	Spin-Drive 3D	Grip Extend+							2,0	max
<b>TARGET ULTIM 50</b>	Germany	Pimple-in	OFF+	150	150	High	Nextens	2,0/max	50	Cream	Spin-Drive 3D	Grip Extend							2,0	max
<b>TARGET ULTIM 47,5</b>	Germany	Pimple-in	OFF+	147,5	150	High	Nextens	2,0/max	47,5	Orange	Spin-Drive 3D	Grip Extend							2,0	max
<b>TARGET FORCE 45</b>	Germany	Pimple-in	OFF+	145	150	High	Nextens	2,0/max	45	Cream	Spin-Drive 3D	Grip Extend							2,0	max
<b>PILOT FAST</b>	Germany	Pimple-in	OFF+	145	140	Medium	In-Tens <sup>2</sup>	2,0/max	40	Orange	Fast			2,0				2,0	2,0	max
<b>PILOT SOUND POWER</b>	Germany	Pimple-in	OFF+	135	140	Medium	In-Tens <sup>2</sup>	2,0/max	35	Orange	Sound			2,0			2,0	2,0	2,0	max
<b>DRIVE SPEED</b>	Japan	Pimple-in	OFF-/OFF	115	145	Medium		1,8/2,0	45	Cream	Speed			1,8/2,0		1,8	2,0	2,0	2,0	
<b>DRIVE SPIN</b>	Japan	Pimple-in	ALL+/OFF-	100	145	Medium		1,8/2,0	40	Yellow	Spin			1,8	1,8/2,0	1,8	1,8/2,0	1,8/2,0	2,0	
<b>START UP'</b>	China	Pimple-in	ALL	90	115	Low		1,8	40	Cream			1,8		1,8	1,8				



---

*14 route Départementale 1001  
CS 90170 - Bonneuil-les - Eaux  
F - 60121 BRETEUIL CEDEX  
Tel : +33 (0) 3 44 80 22 22  
Fax : +33 (0) 3 44 80 22 23  
Email : [export@cornilleau.fr](mailto:export@cornilleau.fr)*

*Web : [www.cornilleau.com](http://www.cornilleau.com)*

---